

Counter Intelligence PLI IC 2025 The training guide for pharmacy assistants





Calpol Sugar-Free Infant Suspension

Uses

Treatment of mild to moderate pain and as an antipyretic. Can be used in many conditions, including headache, toothache, earache, teething, sore throat, colds and flu, aches and pains and post-immunisation fever. Also available in original sugarcontaining and sugar-free, colour-free formulas.

Dosage

Children: up to 4 times daily, but no more frequently than every 4 hours. 4-6 years: 10ml. 2-4 years: 7.5ml. 6-24 months: 5ml. 3-6 months: 2.5ml. Do not give for more than 3 days. 2-3 months (over 4kg and born after 37weeks): 2.5ml followed by a second dose 4-6 hours later if required - do not give more than 2 doses. Relief of fever after vaccination at 2, 3 and 4 months: 2.5ml up to 4 times per day for 2 days. Medical advice should be sought if further doses are needed or if the cause of pain or fever is not known.

Format and Ingredients

Strawberry flavoured, sugar-free suspension containing in 5ml: Paracetamol 120mg,



KENVUE

Pack size: 100ml, 200ml

RRP: £4.99, £8.20

Legal Status: (GSL), (P)



Communications International Group Ltd 2025, Linen Hall, 162-168 Regent Street, London W1B 5TB