



Nicorette Lozenge

Uses

Relieves and/or prevents cravings and nicotine withdrawal symptoms for smokers and vapers wishing to quit or cut down prior to quitting. For those smoking 20 or fewer cigarettes a day or light to moderate vapers (vape infrequently or use low strength e-liquid), the 2mg Lozenge is indicated. Those smoking more than 20 cigarettes per day or heavy vapers (vape frequently or use high strength e-liquid) should use the 4mg Lozenge. Can be used in pregnancy and lactation when making a quit attempt.

Dosage

12 years and over: whenever the urge to smoke or vape is felt or to prevent cravings, place 1 lozenge in the mouth and allow it to dissolve, periodically moving it from one side of the mouth to the other. Do not chew or swallow. Maximum dose: 15 lozenges per day. Smoking and vaping cessation: replace all cigarettes and e-cigarettes with lozenges and as soon as possible, reducing the number of lozenges until stopped completely. Cutting down prior to quitting: use a lozenge as needed between smoking and vaping episodes to prolong smoke/vape-free intervals, reducing smoking/vaping as much as possible before quitting completely. Those who have quit smoking and vaping but are having difficulty discontinuing the lozenge should speak to a pharmacist or doctor for advice.

Format and Ingredients

Lozenge containing:
Nicotine 2 or 4mg,

Category:
Smoking Cessation

Pack size: Mint, Fruit 2mg:
40, Mint, Fruit 2mg: 80, Mint,